





RoofOfRock

Limestone as the common denominator of natural and cultural heritage along the karstified part of the Adriatic coast

CULTURAL HERITAGE AND LIMESTONE

Appendix 3.I.7

Final report for the project area in Croatia
(South Dalmatia)

Annex 3.I.7.1
Representative buildings

Filip Bubalo

June 2015







Descriptor:	Filip Buk	oalo						
Date of fieldowork:	8.05. 20	14.						
NUMBER OF OBJECT IN ROR DATABASE:	3950 Status*1 cultural- as historic number in heritage: site Register CH:							
NAME OF BUILDING (OFFICIAL AND LOCAL):	Kitchen house with chimney / kužina s dimnjakom							
ADDRESS AND LOCATION:	_	akovana 68 N 47627	93					
TYPE:	profane							
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	Typical monopitched kitchen house with square ground plan, on one side (south) leaning on the two storey residential house, and on the other side (east) on a small a stable.							
	Preserved roof construction with wooden beams, slightly higher inclination of the roof, often found on this kind of structure. Doorpost and corners are built from larger and processed stone blocks.							
USE (ORIGINAL):	kitchen	seen on ca	dastral map t		abando	ned		
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	Roof is are still Chimney limestor	in place, s y is built withe. ne.	th platy lime ome of ther th local stone tate of prese	stone, a m meas e, with t	and limes auring 14 top made	stone slates 0 x 50 cm. e from platy		
		of the slate:		zi vacioni	, but it i	iccus some		
SPECIFIC OBSERVATIONS:	Since the object is near the part of the village which is planned for revitalization, and the fact that is connected with residential house which is under good roofing construction, it represents a good starting point for some restoration workshops, since it has still preserved original character.							
QUARRY/EXTRACTION SITE IN THE AREA:								
CONTACT/OWNER:								

¹National monument; local monument; only in register; not registered.

Descriptor:	Filip Buk	oalo					
Date of fieldwork:	7.05.2014.						
NUMBER OF OBJECT IN ROR DATABASE:	3952 Status* ² as Culturalheritage: Part of the Culturalhistorical area Evidence number in Register CH:						
NAME OF BUILDING (OFFICIAL AND LOCAL):	Kužina						
ADDRESS AND LOCATION:	Donja Nakovana E 547478 N 4762744						
TYPE:	Profane						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):							
USE (ORIGINAL):	Kitchen	house	USE (CURRE	NT):	pantry		
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	Main ro Object restored	is in good s	state of pres	ervatio	n, but in	adequately	
SPECIFIC OBSERVATIONS:	Object was recently unprofessionally restored in some elements, and represents example of bad practise. Although platy slates are original and preserved, joints between stones are filled with cement: angle stone blocks are inappropriate chosen and are not in the line of older construction, slates are not following traditional three layer positioning.						
QUARRY/EXTRACTION SITE IN THE AREA:							
CONTACT/OWNER:							

²National monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo						
Date of fieldwork:	15.04. 2	014.					
NUMBER OF OBJECT IN ROR DATABASE:	3854 Status*3 Not registered number in Register CH:						
NAME OF BUILDING	Kitchen	/ kužina					
(OFFICIAL AND LOCAL):							
ADDRESS AND LOCATION:	Na Dub N 51758	35 E 475441	5				
TYPE:	Profane						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	complet Rectang interior outside Inside element and han Part of Wider	tely prese ular ground are plaster stone walls. there is a as such as b d mill. the agraria area of Di	d plan with ed with lime	from raftere mortal mor	platy d roof. (ar, also a preserv essel for oned 50	limestone. Gabels and as joints of red original keeping oil years ago.	
USE (ORIGINAL):	Kitchen	house	USE (CURRE	NT):	abando	ned	
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	Beside roof, platy limestone is used for tiling of the interior.						
SPECIFIC OBSERVATIONS:	Full equipped traditional kitchen, an open museum that needs instant protection and salvation of ethnographic material, if not in situ than in local museum.						
QUARRY/EXTRACTION SITE IN THE AREA:	Data no	t yet availab	le.				
CONTACT/OWNER:							

³National monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo							
Date of fieldwork:	8.05. 20	8.05. 2014.						
NUMBER OF OBJECT IN ROR DATABASE:	3951 Status*4 Cultural- as Historical number in heritage: site Register CH:							
NAME OF BUILDING (OFFICIAL AND LOCAL):	Wine house / konoba							
ADDRESS AND LOCATION:	Gornja Nakovana – Island of Pelješac E 548350 N 4762070							
TYPE:	Profane - agricultural							
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	Single room with rectangular ground plan, low entrance, very dense traditional wooden roof construction with small bread oven inside – annex on the original ground plan is visible outside on longer axis. By the overall state, and the fact that nearby residential							
	houses assumed hamlet,	have insided that this which was:	e, and the neek it is amongst for subsequently part of the 19th	d store irst laye built w	ey rooms er of obj ith more	, it can be ects in this		
USE (ORIGINAL):	Storage	for wine	USE (CURRE	NT):	abando	ned		
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	ridge tra load by support	aditionally restone slates ed with wo	ne tiles are u epaired with s, gable roof ooden beams ossibly new w	valley ti has a d s. Objec	iles. Fron ent, and ct needs	n significant the ridge is refixing of		
SPECIFIC OBSERVATIONS:	Except bread oven inside, there are numerous ethnographic elements of traditional farming and wine making, that could be saved and exhibited in (museum in the making) of Donja Nakovana.							
QUARRY/EXTRACTION SITE IN THE AREA:								
CONTACT/OWNER:								

⁴National monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo / prof. Borut Juvanec (photo and drawings)						
Date of fieldwork:	2005						
NUMBER OF OBJECT IN ROR DATABASE:	3852 Status*5 Not registered number in Register CH:						
NAME OF BUILDING (OFFICIAL AND LOCAL):	Vrtujak Gornja Njivica						
ADDRESS AND LOCATION:	Gornja Njivica N 4759234 E 33641537						
TYPE:	profane						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	a dame of the control						
USE (ORIGINAL):	Shelter		USE (CURRE	NT):	none		
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	structur overlap	es, where t	s essential he <i>faulse</i> vau her by 1/3 to tric circles.	It is bui	ilt with st	one slates	
SPECIFIC OBSERVATIONS:	Similar corbelled constructions are common all around Mediterranean, but vrtujci and torete are Korčula speciffic attraction, and therefore represent tangible cultural heritage, which needs to be protected. Object is in good state of preservation.						
QUARRY/EXTRACTION SITE IN THE AREA:	Data no	t available					
CONTACT/OWNER:							

⁵National monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo							
Date of fieldwork:	15.04. 2	014.						
NUMBER OF OBJECT IN ROR DATABASE:	3851 Status* ⁶ Protected Evidence number in Register CH:							
NAME OF BUILDING (OFFICIAL AND LOCAL):	Crkva Gospe od Polja / Church of Our Lady of the Fields							
ADDRESS AND LOCATION:	Blato – in the foot of the hill Mišjak on the east of the Velo polje; visible from the main island road E 522800 N 4756462							
TYPE:	sacral	sacral						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	the from are two gable wilt was be to 6th contile the contury, churche island of the contury of	ovate openiith rectanguluilt on the rentury. Facili, with a sem are reflect and smaller of Our Lades, and belows, 14th and	nave church to benches and a rose lar opening for the high changes see y of the Field for the most number.	d a stone ette. Abo r the bell cient villa church is and bell h vault cen in the lds was oup of s that are	e doorfrowe it the l. a rustice s longitue tower. of sharpe Baroque built in related e in the	ame, there ere is a bell a from 2nd udinal nave The Gothic ply pointed pue period. In the 14th I medieval area of the		
USE (ORIGINAL):	church		USE (CURREN	NT):	church			
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	Platy limestone is used on the roof of the church, on the benches on each side of the door, and as pavement around the object. Object is in good state of preservation. Needs facade refurbishing.							
SPECIFIC OBSERVATIONS:								
QUARRY/EXTRACTION SITE IN THE AREA:								
CONTACT/OWNER:			vatorski odjel rić 6, 20000 D					

 $^{^{\}rm 6}{\rm National}$ monument; local monument; only in register; not registered.

020/323-191

Descriptor:	Filip Bub	oalo					
Date of fieldwork:	16.04.2014.						
NUMBER OF OBJECT IN ROR DATABASE:	3861 Status* ⁷ Not Evidence number in Register CH:						
NAME OF BUILDING (OFFICIAL AND LOCAL):	cistern	cistern					
ADDRESS AND LOCATION:	Near Miletic Tavern E 513 980 N 4760449						
TYPE:	profane						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	The state of the s						
USE (ORIGINAL):	Water s	upply	USE (CURREI	NT):	Water s	supply	
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	mortar.	_	o »roofs« and		ucture, v	vithout any	
SPECIFIC OBSERVATIONS:							
QUARRY/EXTRACTION SITE IN THE AREA:							
CONTACT/OWNER:							

⁷National monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo						
Date of fieldwork:	14.04. 2	015.					
	T						
NUMBER OF OBJECT IN ROR DATABASE:	3860 Status*8 Not registered number in Register CH:						
NAME OF BUILDING (OFFICIAL AND LOCAL):	Konoba Miletić / Country estate Miletić						
ADDRESS AND LOCATION:	E 51411	1 N 476039	98				
TYPE:	profane						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):							
USE (ORIGINAL):	Residen agricultu	•	USE (CURRE	NT):	Tavern		
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	and they Otherwi courtyal Nearby	y are in goo se platy li rd, and for o olive crops ity limestor	used on roofs d preservatio mestone is u decoration of are surrounde ne, and wond	n status used fo cement ed with	s. or pavem t walls an dry ston	ent of the d columns.	
SPECIFIC OBSERVATIONS:	Although T. Miletić uses cement mortar as binder, he is a very skilful and worthy stone mason. The whole estate has been rebuilt by him.						
QUARRY/EXTRACTION SITE IN THE AREA:	100 meters of air distance is a small quarry						
CONTACT/OWNER:	Tonči M	iletić					

⁸National monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo						
Date of fieldwork:	16.04.20	16.04.2014.					
NUMBER OF OBJECT IN ROR DATABASE:	3856 Status*9 Not registered number in Register CH:						
NAME OF BUILDING (OFFICIAL AND LOCAL):	kućice	kućice					
ADDRESS AND LOCATION:		a – Žrnovo / 37 N 47550					
TYPE:	profane	profane					
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	71 1					in a close e, such as gs; it has a	
USE (ORIGINAL):	agricultu	ıre	USE (CURRE	NT):	none		
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	building	material al	red in platy li ong with crus state of pres	hed lim	estone.	so used as a	
SPECIFIC OBSERVATIONS:	Along with other objects in a small area, these two dwellings represent a nice example of modest architecture built from nearby small scale quarries.						
QUARRY/EXTRACTION SITE IN THE AREA:	Less than 50 meters away there is a quarry and around the site there are a few small surface extraction sites of platy limestone.						
CONTACT/OWNER:							

⁹National monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo					
Date of fieldwork:	16.04. 2	014.				
NUMBER OF OBJECT IN ROR DATABASE:	3857 Status*10 Not registered number in Register CH:					
NAME OF BUILDING (OFFICIAL AND LOCAL):	Stable / štala					
ADDRESS AND LOCATION:		/ Korčula - b 6 N 475672	y the main is 2	land roa	ad	
TYPE:	profane					
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	Traditional rectangular stable, with no openings beside door (wooden frame). Built with larger stones found nearby and with wooden roof construction with platy limestone.					
	This stable is one of the around 20 stables that are built opposite the hamlet Pupnat which had strong pastoral tradition. Stables are approximately 200 years old.					ng pastoral
USE (ORIGINAL):	stable		USE (CURRE	NT):	abando	ned
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	was not	excavated i	ised only for n nearby. te of preserv	_	g, since tl	nis material
SPECIFIC OBSERVATIONS:	Stable is built between two other objects (probably also same function), and separated from all of the other stables which were all in possession of one family- Ciprijan. So this could mean a some kind of ownership separation with a safe distance.					ther stables ijan. So this
	Since there are around 20 stables just by the road, some of them in good condition, they represent a possible traditional cultural attraction, and a chance to stand for another 100 years.					
QUARRY/EXTRACTION SITE IN THE AREA:	Zlo polje quarry					
CONTACT/OWNER:						

 $^{^{\}rm 10}\mbox{National}$ monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo / Borut Juvanec (photo and drawings)						
Date of fieldwork:	2005						
NUMBER OF OBJECT IN ROR DATABASE:	3853 Status* ¹¹ Not Evidence number in Register CH:						
NAME OF BUILDING	Toreta u Njiivice / Salapučeva Njivica						
(OFFICIAL AND LOCAL):							
ADDRESS AND LOCATION:	Salapuč	eva Njivica					
	E 531714 N 4752444						
TYPE:	profane						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):							
USE (ORIGINAL):	shelter		USE (CURREI	NT):	none		
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	Platy limestone is used mostly in the construction of corbelling (inner structure). Object is not in very good state, and needs restoration.						
SPECIFIC OBSERVATIONS:	This is 1	00 year old t	radition crea	ted by c	one man only.		
QUARRY/EXTRACTION SITE IN THE AREA:	Stone material is gathered in nearby area.						
CONTACT/OWNER:							

 $^{^{\}rm 11}{\rm National}$ monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo						
Date of fieldwork:	15.04.2014.						
NUMBER OF OBJECT IN ROR DATABASE:	3858	Status*12 as heritage:	Not registered	Evidence number in Register CH:			
NAME OF BUILDING (OFFICIAL AND LOCAL):	Smokvina						
ADDRESS AND LOCATION:	Uvala Strančičica / Vela Luka E 513548 N 4759844						
TYPE:	profane						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	Very interesting complex with preserved original layout of main residential building and added kitchen house (rectangular ground plan), under which is a small shelter for animals built in foundations. With these two objects outer walls form small enclosure, out of which there are three more objects who ones had platy limestone roofs, and were built for keeping animals.						
USE (ORIGINAL):	Residen	tial	USE (CURRENT): abandoned			ned	
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	Roof (first row preserved) of main residential house and added kitchen, pavement inside and outside of the house, vaulted cistern, lintel and roofs on auxiliary objects, courtyard benches and table. Object is in good preservation state, but the roof is inappropriately restored with asbestos.						
SPECIFIC OBSERVATIONS:	Extensive use of platy limestone, constructive and decorative elements. Wonderful example of skilful traditional coastal architecture. Never before seen walled shelters placed in the foundations of the object on the ground level. Outer dry stone wall by the road has collapsed and needs special conservation attention.						
QUARRY/EXTRACTION SITE IN THE AREA:							
CONTACT/OWNER:							

 $^{^{\}rm 12}\mbox{National monument; local monument; only in register; not registered.$

Descriptor:	Filip Bubalo						
Date of fieldwork:	14.04.2014.						
NUMBER OF OBJECT IN ROR DATABASE:	3850	Status*13 as heritage:	Not registered	Evider numb Regist			
NAME OF BUILDING (OFFICIAL AND LOCAL):	Stable / štala – Bobanje lazi						
ADDRESS AND LOCATION:	Cemetery road - Vela Luka / Korčula E 518105 N 4757883						
TYPE:	profane						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	Single cell ground plan, typical stable – characteristic to this area, without distinctive architectural features, except one gable window and metal door. As all other stables (nearly 20 of them in area), probably this one was also built in 19-20th century.						
USE (ORIGINAL):	stable		USE (CURRENT): Agricultural depository				
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	Platy limestone is used just for roofing. Object is in very good state of preservation.						
SPECIFIC OBSERVATIONS:	Object is frequently used, because of small arable land around it. Just by replacing of steel door, it would bring this traditional house to it's authenticity. Other stables, need more conservation work, for example, replacing asbestos roofs with platy limestone, by which the whole area would restore it's former and primary looks and a significant cultural landscape feature near urban area of Vela Luka.						
QUARRY/EXTRACTION SITE IN THE AREA:	Nearby terraced fields (about 1 km air distance), with surface extraction sites.						
CONTACT/OWNER:							

 $^{^{\}rm 13}{\rm National}$ monument; local monument; only in register; not registered.

Descriptor:	Filip Bubalo						
Date of fieldwork:	15.04.2014.						
NUMBER OF OBJECT IN ROR DATABASE:	3859	Status* ¹⁴ as heritage:	Not registered	Evider numb Regist			
NAME OF BUILDING (OFFICIAL AND LOCAL):	Poljske kućice / agricultural dwellings						
ADDRESS AND LOCATION:	Zanavlje E 515834 N 4761235						
TYPE:	profane						
SHORT DESCRIPTION OF BUILDING (GROUNDPLAN, ELEMENTS, CHRONOLOGY):	A set of two agricultural objects, from which larger one with rectangular ground plan is probably original and well preserved, and has cistern. Walls are very well built; gaps on the back of the house are filled with some cement mortar. Smaller object has square ground plan with unusual larger door and it serves like pantry. Stone has no patina, and probably this one was built for extra space.						
USE (ORIGINAL):	agricultu	ıral	USE (CURRE	NT):	agricult	ural	
PLATY LIMESTONE PRESENT IN: (AND THEIR STATE OF CONSERVATION):	Main roofs of both objects; on larger object slates are hardened with lime mortar. Also platy limestone are used as transom, for steps, benches, pavement and terrace of cistern. Object is in good state of preservation.						
SPECIFIC OBSERVATIONS:	Whole area is covered with well preserved dry stone terraces from platy limestone						
QUARRY/EXTRACTION SITE IN THE AREA:							
CONTACT/OWNER:							

-

 $^{^{\}rm 14}{\rm National}$ monument; local monument; only in register; not registered.